


HALL N4 - REGISTRATION AREA

Scale 1:50 @ A3
Level 1 Drawing

Surveyed Jan 2013
REGISTRATION ENTRANCES

REV 1st Oct 2022



FLOOR BOXES IN HALLS

FIRE EXIT

Mech vents approx 9200mm Clearance from Hall Floor

HALL ENTRANCE FIRE SHUTTER

HALL ENTRANCE FIRE SHUTTER

Mech vents approx 500mm below soffit
5000 mm Shutter Bulkhead

Mech vents approx 500mm below soffit
5000 mm Shutter Bulkhead

SHUTTER
CONTROLS

500 x 500mm
EXCLUSION ZONE

NOTE : ALL FLOOR BOXES IN
REGISTRATION AREAS HAVE
4 DATA & 2 X 13 AMP
SOCKETS UNLESS NOTED
OTHERWISE.

NOTE : ALL FLOOR BOXES IN
REGISTRATION AREAS HAVE
4 DATA & 2 X 13 AMP
SOCKETS UNLESS NOTED
OTHERWISE.

REGISTRATION

9800 mm Ceiling Soffit
6300 CLEAR

9800 mm Ceiling Soffit
6300 CLEAR

7275 CLEAR

7275 CLEAR

4550 CLEAR

HOSE REELS
SOME LOCATIONS

NO CONSTRUCTION OR REGISTRATION IN FRONT OF THIS LINE

NO CONSTRUCTION OR REGISTRATION IN FRONT OF THIS LINE

N4

HALL SIGN

N4

BOULEVARD

SHUTTER
CONTROLS

SHUTTER
CONTROLS

THIS AREA TO BE
KEPT CLEAR OF
FIXED STRUCTURES
DUCT ACCESS DOORS
CONTROLS IN DUCT CUPBOARD
DISTRIBUTION BOARDS
M3/SBI/DB4
M3/SBI/DB3
M3/SBI/DB6
M3/SBI/DB1
A/C PIPING & TRAY
A/H/CONTROL PANEL
LCP/AE/7/6
HALL OFFICES 5

THIS AREA TO BE
KEPT CLEAR OF
FIXED STRUCTURES
DUCT ACCESS DOORS
CONTROLS IN DUCT CUPBOARD
DISTRIBUTION BOARDS
M3/SBI/DB4
M3/SBI/DB3
M3/SBI/DB6
M3/SBI/DB1
A/C PIPING & TRAY
A/H/CONTROL PANEL
LCP/AE/7/6
HALL OFFICES 5

FLOOR BOXES

FLOOR BOXES