HALL N7 - REGISTRATION AREA

Scale 1:50 @ A3 **Surveyed Jan 2013**
Level 1 Drawing **REGISTRATION ENTRANCES** **REV 1st Oct 2022**

N
W E
NORTH
S

excel LONDON

0m 5m

FLOOR BOXES IN HALLS

SHUTTER CONTROLS

FIRE EXIT

Mech vents approx 9200mm Clearance from Hall Floor

HALL ENTRANCE FIRE SHUTTER

Mech vents approx 500mm below soffit
5000 mm Shutter Bulkhead

NOTE : ALL FLOOR BOXES IN REGISTRATION AREAS HAVE 4 DATA & 2 X 13 AMP SOCKETS UNLESS NOTED OTHERWISE.

SHUTTER CONTROLS

500 x 500mm EXCLUSION ZONE

FLOOR BOXES

FLOOR BOXES

HALL ENTRANCE FIRE SHUTTER

Mech vents approx 500mm below soffit
5000 mm Shutter Bulkhead

NOTE : ALL FLOOR BOXES IN REGISTRATION AREAS HAVE 4 DATA & 2 X 13 AMP SOCKETS UNLESS NOTED OTHERWISE.

SHUTTER CONTROLS

DISTRIBUTION BOARDS M5/SB1/MB

SPRINKLER RISER

CONTROLS IN DUCT CUPBOARD

DUCT ACCESS DOORS

THIS AREA TO BE KEPT CLEAR OF FIXED STRUCTURES

REGISTRATION

9800 mm Ceiling Soffit

6300 CLEAR

7275 CLEAR

HOSE REELS SOME LOCATIONS

NO CONSTRUCTION OR REGISTRATION IN FRONT OF THIS LINE

FLOOR BOXES

2 X 13 AMP

N7

HALL SIGN

2 X 13 AMP

2 X 13 AMP

9800 mm Ceiling Soffit

6300 CLEAR

7275 CLEAR

NO CONSTRUCTION OR REGISTRATION IN FRONT OF THIS LINE

4550 CLEAR

N7

4 DATA

FLOOR BOXES

2 X 13 AMP

THIS AREA TO BE KEPT CLEAR OF FIXED STRUCTURES

DUCT ACCESS DOORS

TRAY

DISTRIBUTION BOARDS M5/SB4/DB6 M5/SB4/DB3 M5/S129/DB2

CONTROLS IN DUCT CUPBOARD

BOULEVARD