


HALL S5 - REGISTRATION AREA

Scale 1:50 @ A3
Level 1 Drawing

Surveyed Jan 2013

REGISTRATION ENTRANCES

REV 30 1st Oct 2022



BOULEVARD

S5

HALL SIGN

S5

REGISTRATION

FIRE EXIT

NO CONSTRUCTION OR REGISTRATION IN FRONT OF THIS LINE

NO CONSTRUCTION OR REGISTRATION IN FRONT OF THIS LINE

7275 CLEAR

7275 CLEAR

6300 CLEAR

6300 CLEAR

9800 mm Ceiling Soffit

9800 mm Ceiling Soffit

4550 CLEAR

NOTE : ALL FLOOR BOXES IN REGISTRATION AREAS HAVE 4 DATA & 2 X 13 AMP SOCKETS UNLESS NOTED OTHERWISE.

NOTE : ALL FLOOR BOXES IN REGISTRATION AREAS HAVE 4 DATA & 2 X 13 AMP SOCKETS UNLESS NOTED OTHERWISE.

Mech vents approx 500mm below soffit

Mech vents approx 500mm below soffit

5000 mm Shutter Bulkhead 500 x 500mm EXCLUSION ZONE

5000 mm Shutter Bulkhead

HALL ENTRANCE FIRE SHUTTER

HALL ENTRANCE FIRE SHUTTER

Mech vents approx 9200mm Clearance from Hall Floor

SHUTTER CONTROLS

SHUTTER CONTROLS

FLOOR BOXES IN HALLS

HOSE REELS SOME LOCATIONS

APU CONTROL PANEL
HALL OFFICE 6
PIPEWORK

DISTRIBUTION BOARDS
M3/SB4/DB3
M3/SB4/DB2
M3/SB4/DB4

CONTROLS IN DUCT CUPBOARD

THIS AREA TO BE KEPT CLEAR OF FIXED STRUCTURES

DUCT ACCESS DOORS

THIS AREA TO BE KEPT CLEAR OF FIXED STRUCTURES

DUCT ACCESS DOORS

CONTROLS IN DUCT CUPBOARD
DISTRIBUTION BOARDS
M3/SB4/DB3
M3/SB4/DB2
M3/SB4/DB4
TRAY
SPRINKLER RISER